



Certificate of Compliance

Certificate: 80058066

Master Contract: 301300

Project: 80066506

Date Issued: 2022-05-23

Issued To: Cosentino Industrial S.A.U.
Ctra. A334 Baza-Huércal Overa
Km 59
Cantoria Almería, Almeria, 04850
Spain

Attention: Cristina Guerra Lucas

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.

Issued by: *Roberto Zanola*
Roberto Zanola



PRODUCTS

CLASS - C691501 - PLUMBING FIXTURES Plastic Plumbing Fixtures

CLASS - C691581 - PLUMBING FIXTURES Plastic Plumbing Fixtures - Certified to US Standards

Lavatories mod.

ARMONY, BALANCE, ELEGANCE, EQUILIBRIUM, EVITA L, EVITA S, EVITA Q, MARIE L, MARIE S, MARIE TOP, EXCLUSIVE ONE, REFLECTION, SILENCE, SIMPLICITY

Kitchen Sinks mod.

INTEGRITY ONE, INTEGRITY DUE S, INTEGRITY DUE L, INTEGRITY DUE XL

Shower Trays mod.



Certificate: 80058066
Project: 80066506

Master Contract: 301300
Date Issued: 2022-05-23

DOPPIO-C, EXELIS-C, KADOR SUITE-C

Below the certified products description:

Models	Description
ARMONY (Silestone)	Plastic Lavatory mod. ARMONY. 1, 2 or more Bowls. Bowls dimension max: 490x300x100 (L x W x H). Top Dimension Max 3200x600 H≤450. Installation type: Wall Mount or Top Mount
BALANCE (Silestone)	Plastic Lavatory mod. BALANCE. 1, 2 or more Bowls.. Bowls dimension max: 490x300x100 (L x W x H). Top Dimension Max 3200x600 H=160. Installation type: Wall Mount or Top Mount
ELEGANCE (Silestone)	Plastic Lavatory mod. ELEGANCE. 1, 2 or more Bowls.. Bowls dimension max: 490x300x100 (L x W x H). Top Dimension Max 3200x600 H≤450. Installation type: Wall Mount or Top Mount
EQUILIBRIUM (Silestone)	Plastic Lavatory mod. EQUILIBRIUM. 1, 2 or more Bowls. Bowls dimension max: 490x300x100 (L x W x H). Top Dimension Max 3200x600 H=160. Installation type: Wall Mount or Top Mount
EVITA L (Silestone)	Plastic Lavatory mod. EVITA L. 1, 2 or more Bowls. Bowls dimension max: 650x300x100 (L x W x H). Top Dimension Max 3200x600 H≤450. Installation type: Wall Mount or Top Mount
EVITA S (Silestone)	Plastic Lavatory mod. EVITA S. 1, 2 or more Bowls. Bowls dimension max: 500x300x100 (L x W x H). Top Dimension Max 3200x600 H≤450. Installation type: Wall Mount or Top Mount
EVITA Q (Silestone)	Plastic Lavatory mod. EVITA Q. 1, 2 or more Bowls. Bowls dimension max: 510x410x100 (L x W x H). Top Dimension Max 3200x600 H≤450. Installation type: Wall Mount or Top Mount
MARIE L (Silestone)	Plastic Lavatory mod. MARIE L. 1, 2 or more Bowls. Bowls dimension max: 510x370x100 (L x W x H). Top Dimension Max 3200x600 H≤450. Installation type: Wall Mount or Top Mount
MARIE S (Silestone)	Plastic Lavatory mod. MARIE S. 1, 2 or more Bowls. Bowls dimension max: 340x370x100 (L x W x H). Top Dimension Max 3200x600 H≤450. Installation type: Wall Mount or Top Mount



Certificate: 80058066
Project: 80066506

Master Contract: 301300
Date Issued: 2022-05-23

MARIE TOP (Silestone)	Plastic Lavatory mod. MARIE TOP. 1, 2 or more Bowls. Bowls dimension max: 510x370x100 (L x W x H). Top Dimension Max 3200x600 H≤450. Installation type: Wall Mount or Over Top Mount
EXCLUSIVE ONE (Silestone)	Plastic Lavatory mod. EXCLUSIVE ONE. 1, 2 or more Bowls. Bowls dimension max: 510x410x100 (L x W x H). Top Dimension Max 3200x600 H≤450. Installation type: Wall Mount or Top Mount
REFLECTION (Silestone)	Plastic Lavatory mod. REFLECTION. 1, 2 or more Bowls. Bowls dimension max: 490/900/1200x300x80 (L x W x H). Top Dimension Max 3200x600 H≤450. Installation type: Wall Mount or Top Mount
SILENCE (Silestone)	Plastic Lavatory mod. SILENCE. 1, 2 or more Bowls. Bowls dimension max: 490/900/1200x300x80 (L x W x H). Top Dimension Max 3200x600 H≤450. Installation type: Wall Mount or Top Mount Factory supplied waste fitting mod. SK330.01C, supplied by CGS Srl and certified by CSA (Report/Certificate #2109124)
SIMPLICITY (Silestone)	Plastic Lavatory mod. SIMPLICITY. 1, 2 or more Bowls. Bowls dimension max: 490x300x100 (L x W x H). Top Dimension Max 3200x600 H≤450. Installation type: Wall Mount or Top Mount
INTEGRITY ONE (Silestone)	Plastic Kitchen Sink mod. INTEGRITY ONE, 1 Bowl or 2 Bowls. Bowls dimension max: Max 510x410 H=150. Top Dimension Max 3200x650. Installation type: Undertop Mount or Top integrated (mitered edge)
INTEGRITY DUE S (Silestone)	Plastic Kitchen Sink mod. INTEGRITY DUE S, 1 Bowl or 2 Bowls. Bowls dimension max: Max 510x370 H=150. Top Dimension Max 3200x650. Installation type: Undertop Mount or Top integrated (mitered edge)
INTEGRITY DUE L (Silestone)	Plastic Kitchen Sink mod. INTEGRITY DUE L, 1 Bowl or 2 Bowls. Bowls dimension max: Max 370x340 H=150. Top Dimension Max 3200x650. Installation type: Undertop Mount or Top integrated (mitered edge)
INTEGRITY DUE XL (Silestone)	Plastic Kitchen Sink mod. INTEGRITY DUE XL, 1 Bowl or 2 Bowls. Bowls dimension max: Max 670x435 H=210. Top Dimension Max 3200x650. Installation type: Undertop Mount or Top integrated (mitered edge)
DOPPIO-C (Silestone)	Plastic Shower Tray mod. DOPPIO-C, Dimension: W: 700 Min, 1500 Max / L: 120 Min, 3000 Max (Min. slope 1%, Max. slope 4%)
EXELIS-C (Silestone)	Plastic Shower Tray mod. EXELIS-C, Dimension: W: 800 Min, 1500 Max / L: 800 Min, 2610 Max (Min. slope 1%, Max. slope 4%)- Waste central or side. This shower may be supplied, upon client request, with a threshold, same as DOPPIO-C and KADOR SUITE-C, according to clause 4.4.3 of CSA B45.5-17/IAPMO Z124-2017.



Certificate: 80058066
Project: 80066506

Master Contract: 301300
Date Issued: 2022-05-23

KADOR SUITE-C (Silestone)	Plastic Shower Tray mod. KADOR SUITE-C, Dimension: W: 700 Min, 1500 Max / L: 700 Min, 2000 Max (Min. slope 1%, Max. slope 4%) - SS waste cover
---------------------------------	--

Note 1: products may have different border (Canto) styles

Note 2: products may be supplied with factory supplied waste fitting.

Note 3: Lavatory models may be supplied with diam. 30mm overflow opening for external waste and overflow installation (not supplied by Cosentino)

Allowed Materials/Colors:

ALPINA WHITE 18
ALTAIR 15
ALUMINIO NUBE
AMAZON
CORKTOWN
ARDEN BLUE
ARIEL
BAMBOO 08
BIANCO CALACATTA
BIANCO RIVER
BLANCO CAPRI
BLANCO CITY
BLANCO MAPLE 14
BLANCO MATRIX
BLANCO NORTE 14
BLANCO ORION
STELLAR BLANCO13
BLANCO ZEUS
BROOKLYN20
POBLE NOU
CALYPSO
CAMDEN
CEMENTO SPA
CHARCOAL SOAPSTONE
CLASSIC CALACATTA
CLASSIC WHITE
COPPER MIST
CORAL CLAY COLOUR
CYGNUS 15



Certificate: 80058066
Project: 80066506

Master Contract: 301300
Date Issued: 2022-05-23

DESERT SILVER
DORADUS 13
ET BELLA
ET CALACATTA GOLD
ET D'OR
ET EMPERADOR
ET MARFIL
ET MARQUINA
ET NOIR
ET SERENA
ET STATUARIO
GRIS EXPO
HAIKU
HELIX
ICONIC BLACK
ICONIC WHITE
IRONBARK
KENSHO
KIMBLER MIST
LAGOON
LUSSO
LYRA
MARENGO
MEROPE
MIAMI VENA
MIAMI WHITE 17
MOUNTAIN MIST 12
STELLAR NEGRO
NEGRO TEBAS 18
NIEBLA
NOKA
OCEAN JASPER F
OCEAN STORM
PACIFICA
PEARL JASMINE
PIETRA
POLARIS
PULSAR
ROUGUI



Certificate: 80058066
Project: 80066506

Master Contract: 301300
Date Issued: 2022-05-23

ROYAL REEF
SIENNA RIDGE 12
SILVER LAKE
SILKEN PEARL
SNOWY IBIZA
STELLAR GREY
TIGRIS SAND
UNSUI
URBAN FROST
WHITE ARABESQUE
WHITE DIAMOND20
WHITE STORM 14
SEAPORT
NOLITA
YUKON

CLASS - C691105 - PLUMBING FIXTURES Ceramic
CLASS - C691185 - PLUMBING FIXTURES - Ceramic Certified to US Standards

Lavatories mod.

REFLECTION, SIMPLICITY, SILENCE

Shower Trays mod.

GOCCE

Below the certified products description:

REFLECTION (Dekton)	Ceramic Lavatory mod. REFLECTION. 1, 2 or more Bowls. Bowls dimension max: 120x30x81 (L x W x H). Top Dimension Max 3200x600 H≤450. Installation type: Wall Mount or Top Mount
SILENCE (Dekton)	Ceramic Lavatory mod. SILENCE. 1, 2 or more Bowls. Bowls dimension max: 120x30x75 (L x W x H). Top Dimension Max 3200x600 H≤450. Installation type: Wall Mount or Top Mount
SIMPLICITY (Dekton)	Ceramic Lavatory mod. SIMPLICITY. 1, 2 or more Bowls. Bowls dimension max: 49x30x75 (L x W x H). Top Dimension Max 3200x600 H≤450. Installation type: Wall Mount or Top Mount
GOCCE (Dekton)	Ceramic Shower Tray mod. GOCCE, Dimension: W: 700 Min, 1400 Max / L: 1000 Min, 2000 Max (Min. slope 1%, Max. slope 4%). Waste central or side.

Note 1: products may be supplied with factory supplied waste fitting



Certificate: 80058066
Project: 80066506

Master Contract: 301300
Date Issued: 2022-05-23

Note 2: Lavatory models may be supplied with diam. 30mm overflow opening for external waste and overflow installation (not supplied by Cosentino)

Note 1: products may be supplied with factory supplied waste fitting mod. SK330.01C, supplied by CGS Srl and certified by CSA (Report/Certificate #2109124)

Note 2: Lavatory models may be supplied with diam. 30mm overflow opening for external waste and overflow installation (not supplied by Cosentino)

Allowed ceramic Materials/Colors are the following:

DEKTON Mate: Aeris, Aura, Aura15, Bedrock, Danae, Domoos, Entzo, Eter, Fossil, Galema, Irok, Kadum, Kairos, Kelya, Keon, Keranium, Kira, Korus, Kovik, Laos, Lunar, Milar, Nayla, Nilium, Orix, Radium, Sand Drift, Sarey, Sasea, Sirocco, Sterling, Strato, Soke, Trilium, Uyuni, Vapour, Vegha, Ventus, Vera, Zenith, Blanc Concrete, Bromo, Dove, Edora, Gada, Laurent, Liquid Embers, Liquid Sky, Sirius, Valterra, Aged Timber, Aldem, Ananké, Ariane, Bento, Borea, Makai, Odin

DEKTON Velvet: Opera, Portum, Liquid Shell, Rem

DEKTON X-Gloss: Arga, Bergen, Blaze, Fiord, Glacier, Halo, Helena, Khalo, Korso, Lumina, Manhattan, Natura, Natura18, Olimpo, Qatar, Sogne, Spectra, Splendor, Taga, Tundra, Tundra 19, Vienna

DEKTON GRIP+: Keon, Kreta, Orix, Soke, Vera, Aeris, Aura 15, Danae, Eter, Kira, Laos, Lunar, Nayla, Nilium, Makai, Sasea, Sirocco, Strato, Trilium

APPLICABLE REQUIREMENTS

Classes 6915 01, 6915 81:

CSA B45.5-17/IAPMO Z124-2017 - Plastic Plumbing Fixtures.

Classes 6911 05, 6911 85:

ASME A112.19.2-2018/CSA B45.1-18 - Ceramic plumbing fixtures

MARKINGS

See descriptive report for marking details

Notes:

Products certified under Class C691105, C691185 have been certified under CSA's ISO/IEC 17065 accreditation with the American National Standards Institute (ANSI).
www.ansi.org





Supplement to Certificate of Compliance

Certificate: 80058066

Master Contract: 301300

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

Product Certification History

Project	Date	Description
80066506	2022-05-23	cCSAus Product Certification of ceramic Lavatory mod. REFLECTION, SILENCE, SIMPLICITY (one or two bowls, variable sizes, with and without washbasin borders) and Ceramic Shower Tray mod. GOCCE (variable sizes). Fixtures made of DEKTON, DEKTON XGloss and DEKTON GRIP+ in various colors. Also added threshold option to Silestone mod. EX EXELIS-C Shower Tray, higher “skirt” option for Silestone Lavatories and additional details for Silestone composition.
80058066	2021-07-21	Lavatories mod. ARMONY, BALANCE, ELEGANCE, EQUILIBRIUM, EVITA L, EVITA S, EVITA Q, MARIE L, MARIE S, MARIE TOP, EXCLUSIVE ONE, REFLECTION, SILENCE, SIMPLICITY; Kitchen Sinks mod. INTEGRITY ONE, INTEGRITY DUE S, INTEGRITY DUE L, INTEGRITY DUE XL; Shower Trays mod. DOPPIO-C, EXELIS-C, KADOR SUITE-C